SAFETY DATA SHEET	
SSS HygienePoint Hyg	ienic Soap with CRT
Version 1.0	SDS Number: 40000005519 Revision Date: 11/03/2017
SECTION 1. IDENTIFICATION	
Product name	: SSS HygienePoint Hygienic Soap with CRT
Product code	: 34126; 34130; 34131
Manufacturer or supplier's	details
Company name of supplier	: TRIPLE S
Address	: 2 Executive Park Drive Billerica, Massachusetts 01862
Telephone	: 978-667-7900
Emergency telephone number	: 888-779-1339
Recommended use of the o	chemical and restrictions on use
Recommended use	: Skin-care
Restrictions on use	: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

Version 1.0 SD	S Number: 400000005519	Revision Date: 11/03/2017
	Prevention: P210 Keep away from heat/spa No smoking. P233 Keep container tightly clos P240 Ground/bond container ar P241 Use explosion-proof elect equipment. P242 Use only non-sparking too P243 Take precautionary meas P280 Wear eye protection/ face Response: P305 + P351 + P338 IF IN EYE for several minutes. Remove co to do. Continue rinsing. P337 + P313 If eye irritation per attention. P370 + P378 In case of fire: Us alcohol-resistant foam to exting: Storage: P403 + P235 Store in a well-ver Disposal: P501 Dispose of contents/ conta disposal plant.	sed. nd receiving equipment. rical/ ventilating/ lighting/ ols. ures against static discharge. a protection. S: Rinse cautiously with water ontact lenses, if present and easy rsists: Get medical advice/ e dry sand, dry chemical or uish. ntilated place. Keep cool.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water.

Version 1.0	SDS Number: 400000005519	Revision Date: 11/03/2017
	Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay and use the recommended prote	•

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	se water spray, alcohol-resistant foam, dr irbon dioxide.	y chemical or
Unsuitable extinguishing media	gh volume water jet	
Specific hazards during firefighting	o not use a solid water stream as it may s e. bol closed containers exposed to fire with ash back possible over considerable dista ay form explosive mixtures in air. kposure to decomposition products may b ealth. arbon oxides trogen oxides (NOx) etal oxides	water spray. ance.
Hazardous combustion products	arbon oxides trogen oxides (NOx) etal oxides	
Specific extinguishing methods	se extinguishing measures that are appro rcumstances and the surrounding environ se water spray to cool unopened containe	ment.
Further information	ollect contaminated fire extinguishing wate ust not be discharged into drains. re residues and contaminated fire extingu e disposed of in accordance with local reg	ishing water must
Special protective equipment for firefighters	the event of fire, wear self-contained brease personal protective equipment.	athing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

Version 1.0	SDS Number: 400000005519	Revision Date: 11/03/2017
	cannot be contained.	
Methods and materials for containment and cleaning up	 Non-sparking tools should be used Soak up with inert absorbent mate Suppress (knock down) gases/vap spray jet. Keep in suitable, closed containers Clean contaminated floors and obj observing environmental regulation 	rial. ours/mists with a water s for disposal. ects thoroughly while

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	 Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control	Basis
Componente		(Form of	parameters /	Daolo
		exposure)	Permissible	
		exposure)	concentration	
Ethyl Alcohol	64-17-5	TWA	1,000 ppm	NIOSH REL
-			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
Glycerin	56-81-5	TWA (mist,	5 mg/m3	OSHA Z-1
-		respirable		
		fraction)		
		TWA (mist,	15 mg/m3	OSHA Z-1
		total dust)		

Components with workplace control parameters

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	No special protective equipment required.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special measures necessary provided product is used correctly.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

Version 1.0	SDS Number: 400000005519	Revision Date: 11/03/2017
	the specific work-place. Ensure that eye flushing system located close to the working place	
Hygiene measures	: Handle in accordance with good practice. Avoid contact with eyes.	industrial hygiene and safety

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, green, blue green
Odour	: like fruit, floral
Odour Threshold	: No data available
рН	: 5.5 - 7.2, (20 °C)
Solidification / Setting point	: -4.6 °C
Initial boiling point and boiling range	: 77 °C
Flash point	: 32.8 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Does not sustain combustion.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Relative vapour density	: No data available
Density	: 0.98 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

Version 1.0

SDS Number: 40000005519

Revision Date: 11/03/2017

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity	
Not classified based on availa	ble information.
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Sodium Laureth Sulfate: Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Glycerin: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Sodium Laureth Sulfate:

Result: Skin irritation

Glycerin: Result: No skin irritation

Version 1.0

Revision Date: 11/03/2017

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Sodium Laureth Sulfate:

Result: Eye irritation Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Glycerin:	
Genotoxicity in vitro	 Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerin: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative

sion 1.0	SDS Number: 400000005519	Revision Date: 11/03/201
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Reproductive toxicity		
Not classified based on availa	able information.	
Components:		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation repr Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Glycerin:		
Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative	oduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal develor Species: Rabbit Application Route: Ingestion Result: negative	opment
STOT - single exposure		
Not classified based on availa	able information.	
STOT - repeated exposure Not classified based on availa	able information.	
Repeated dose toxicity		
Components:		
Ethyl Alcohol:		
Species: Rat		
Species: Rat NOAEL: 2,400 mg/kg		
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y		
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Sodium Laureth Sulfate: Repeated dose toxicity -	: Causes serious eye irritation.	
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Sodium Laureth Sulfate: Repeated dose toxicity - Assessment Glycerin:	: Causes serious eye irritation.	
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Sodium Laureth Sulfate: Repeated dose toxicity - Assessment Glycerin: Species: Rat	: Causes serious eye irritation.	
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Sodium Laureth Sulfate: Repeated dose toxicity - Assessment Glycerin: Species: Rat NOAEL: 167 mg/m3	: Causes serious eye irritation.	
Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y Sodium Laureth Sulfate: Repeated dose toxicity - Assessment Glycerin: Species: Rat		

Version 1.0

SDS Number: 40000005519

Revision Date: 11/03/2017

Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Glycerin: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Persistence and degradabili	ty
Components:	
Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Sodium Laureth Sulfate: Biodegradability	: Result: Readily biodegradable.
Glycerin: Biodegradability	: Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d
Bioaccumulative potential	

Components:

Version 1.0	SDS Number: 400000005519	Revision Date: 11/03/2017
Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Glycerin: Partition coefficient: n- octanol/water	: log Pow: -1.76	
Mobility in soil No data available Other adverse effects No data available		
Product: Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	-
Remarks	This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR	
UN/ID No.	: UN 1170
Proper shipping name	: Ethanol solution
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1170
Proper shipping name	: ETHANOL SOLUTION
Class	: 3
Packing group	: 111
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant National Regulations	: no

49 CFR

Version 1.0	SDS Number: 400000005519	Revision Date: 11/03/2017
UN/ID/NA number Proper shipping name	: UN 1170 : Ethanol solutions	
Class	: 3	
Packing group	: 111	
ERG Code	: 127	
Marine pollutant	: no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Fire Haza Acute Hea	rd alth Hazard
SARA 302		cals in this material are subject to the reporting ents of SARA Title III, Section 302.
SARA 313	known CA	rial does not contain any chemical components with AS numbers that exceed the threshold (De Minimis) levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	17.62 %
Glycerin	56-81-5	1.75 %
product doog not contain	any VOC avamptions list	ad under the LLC Clean Air Act C

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know				
Ethyl Alcohol	64-17-5	10 - 20 %		
Glycerin	56-81-5	1 - 5 %		
Pennsylvania Right To Know				
Water (Aqua)	7732-18-5	70 - 90 %		
Ethyl Alcohol	64-17-5	10 - 20 %		
Glycerin	56-81-5	1 - 5 %		
Isopropyl Alcohol	67-63-0	0.1 - 1 %		
New Jersey Right To Know				
Water (Aqua)	7732-18-5	70 - 90 %		


SSS HygienePoint Hygienic Soap with CRT						
SI	DS Number: 400000005519	Revision D	Revision Date: 11/03/2017			
Ethyl Alcohol Sodium Laureth Glycerin	Sulfate	64-17-5 68585-34-2 56-81-5	10 - 20 % 1 - 5 % 1 - 5 %			
65	•	2				
The components of this product are reported in the following inventories:						
:	On the inventory, or in comp	pliance with the invo	entory			
:	On the inventory, or in comp	bliance with the inve	entory			
:	On the inventory, or in comp	bliance with the invo	entory			
:	On the inventory, or in comp	bliance with the inve	entory			
:	On the inventory, or in comp	bliance with the inve	entory			
:	On the inventory, or in comp	pliance with the inve	entory			
:	On the inventory, or in comp	pliance with the inve	entory			
:	On the inventory, or in comp	pliance with the inve	entory			
:	On the inventory, or in comp	pliance with the inve	entory			
	Ethyl Alcohol Sodium Laureth Glycerin 65 ts of this produc : : : : :	SDS Number: 40000005519 Ethyl Alcohol Sodium Laureth Sulfate Glycerin 65 This product does not contate of California to cause cancere reproductive harm. ts of this product are reported in the following in the inventory, or in compare in the in	SDS Number: 40000005519 Revision D Ethyl Alcohol 64-17-5 Sodium Laureth Sulfate 68585-34-2 Glycerin 56-81-5 65 This product does not contain any chemicals k of California to cause cancer, birth defects, or reproductive harm. ts of this product are reported in the following inventories: : : On the inventory, or in compliance with the inventories: : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory. : On the inventory, or in compliance with the inventory.			

Inventories

SAFETY DATA SHEET

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Revision Date

: 11/03/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release

Version 1.0

SDS Number: 40000005519

Revision Date: 11/03/2017

and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.